naturaled®

Turning Light into Savings



BFS/BFD/SFD
Wall Lights, Floodlights
10W, 20W

With a full array of Wall and Flood Lights, naturaLED has a wide selection of bullet floodlights (double head), bulkhead wall lights, and decorative wall sconces.

Our Floodlights and Wall Lights come in 10-watt and 20-watt to replace your existing incandescent up to 180-watt, saving up to 80% of energy. It is a great value energy efficient LED, using less energy and lats up to 50,000 hours average life.

naturaLED® wall light are ideal lighting solution for security lights, residential and commercial, retail and any outdoor applications.

5 YEAR WARRANTY

50,000 Rated Life Hours

BEAM ANGLE 70°

Key Features & Benefits

- UL Wet Locations
- Direct replacement and Instant On
- Up to 80% energy savings
- Contains no mercury or lead
- UL/cUL Listed
- Rated 50,000 hours average life
- 5 Years Limited Warranty
- Motion Sensor included

Applications

- Security Lighting
- Accent Lighting
- General Lighting
- Residential Lighting
- Restaurant Lighting
- Outdoor Lighting
- Wall Lighting

Color Choices

White Black

Qualifications

c UL us FC LM 79 LM 80 RoHS COMPLIANT FOR WET Location*

2000 S. Grove Ave, Bldg B, Ontario, CA 91761 | tel: 909-930-6868 fax: 909-930-9988 | www.mynaturaLED.com

© 2016 Plusrite®



Double Head Flood light with Motion Sensor

	Item Code	Description	Color Temp	Wattage	Lumen Output	Equivalent Wattage	Beam Angle	Voltage	Color	Rated Hours	Sensor	
*	7030	LED-FXBFD20/830/BK-SEN	3000K	20	1,400	180	70°	120-277	Black	50,000	•	•
*	7031	LED-FXBFD20/850/BK-SEN	5000K	20	1,400	180	70°	120-277	Black	50,000	•	•
*	7066	LED-FXBFD20/830/WH-SEN	3000K	20	1,400	180	70°	120-277	White	50,000	•	•
*	7067	LED-FXBFD20/850/WH-SEN	5000K	20	1,400	180	70°	120-277	White	50,000	•	•



Double Head Flood light with Motion Sensor

*	7032	LED-FXSFD20/830/WH-SEN	3000K	20	1,400	180	70°	120-277	White	50,000	•	•
*	7033	LED-FXSFD20/850/WH-SEN	5000K	20	1,400	180	70°	120-277	White	50,000	•	•



Bulkhead Wall Light

*	7024	LED-FXBWL10/830/BK	3000K	10	900	90	--	120-277	Black	50,000		•
*	7025	LED-FXBWL10/850/BK	5000K	10	900	90	--	120-277	Black	50,000		•
*	7062	LED-FXBWL10/830/WH	3000K	10	900	90	--	120-277	White	50,000		•




Decorative Wall Scone


*	7026	LED-FXDWS10/830/BK	3000K	10	700	90	--	120-277	Black	50,000		•
*	7027	LED-FXDWS10/850/BK	5000K	10	700	90	--	120-277	Black	50,000		•
*	7064	LED-FXDWS20/830/BK	3000K	20	1,400		--	120-277	Black	50,000		•
*	7065	LED-FXDWS20/850/BK	5000K	20	1,400		--	120-277	Black	50,000		•

* ETA September 2016


▸ Dimensions




FXBFD



FXSFD



FXBWL



FXDWS

Item	A	B	C	Weight (lbs)
FXBFD	10.04-in	6.61-in	6.42-in	2.43
FXSFD	9.29-in	6.89-in	5.75-in	1.76
FXBWL	7.08-in	11.25-in	5.55-in	3.53-lb
FXDWS 10W	5.00-in	6.70-in	3.15-in	1.54-lb
FXDWS 20W	5.00-in	11.69-in	3.54-in	2.43-lb

Master Carton Package

