



T8 DIRECT FIT : GLASS

DESCRIPTION

LED T8 replacement lamps can replace fluorescent T8 lamps at a fraction of the energy cost.

Review all installation instructions and confirm use of a compatible ballast before installing EiKO Direct Fit Linear Lamps.

FEATURES

- Replaces 4' F32T8 (32W, 30W, 28W, 25W) lamps
- No socket changes, uses shunted or non-shunted sockets
- Functions on most electronic T8 (instant & programmed) and battery backup ballasts
- Instantaneous full light output upon power-up
- Frosted glass lens reduces visual glare
- Suitable for use in totally enclosed fixtures
- Does not operate on magnetic ballasts
- Does not operate on T12 ballasts
- Use of an incompatible ballast, poor socket connection or other improper installation can result in reduced lamp lifetime, arcing or localized overheating
- See p. 2-4 for a list of compatible ballasts

WARRANTY

- 5 year limited warranty; see eiko.com for warranty details

APPLICATIONS

- Highbays
- Troffers
- Industrial Strips
- Cove Lighting
- Warehouses
- Stairwells
- Cold Storage



| | | | |
|---------------------|-----------------------|--|-------|
| PERFORMANCE | Bare Lamp Wattage | 10W | 13W |
| | Lumens | 1,800 | 2,200 |
| | Efficacy (LPW) | 180 | 169 |
| | CRI | 80+ | |
| | Beam | 160° | |
| | CCT | 3500K, 4000K, 5000K | |
| | Life (L70) | 50,000 hours | |
| ELECTRICAL | Power Factor | ≥0.9 | |
| | THD | <20% | |
| | Input Voltage | 120-277V, 347V | |
| CONSTRUCTION | Operating Temperature | -4°F to 113°F (-20°C to 45°C) | |
| | Base | G13 | |
| LISTINGS | Certification(s) | DesignLights Consortium® Qualified; cULus Listed; FCC; ETL Sanitation Listed | |
| | Material Usage | RoHS Compliant; no mercury or lead | |
| | Environment | UL Listed for damp locations | |

PERFORMANCE SUMMARY

| Order Code | Item # | Length | Lumens | Nominal Watts | Volts Ballast Dependent | Emergency Ballast Compatible | CCT | CRI | Glass Tube | Beam | Life/ Hours | DLC |
|------------|----------------------|--------|--------|---------------|-------------------------------|------------------------------------|-------|-----|---------------|------|----------------|-----|
| 10950 | LED10WT8/48/835-G9DR | 4' | 1,800 | 10W | 120-277V, 347V | ✓ | 3500K | 80+ | Frosted | 160° | 50K | ✓ |
| 10951 | LED10WT8/48/840-G9DR | 4' | 1,800 | 10W | 120-277V, 347V | ✓ | 4000K | 80+ | Frosted | 160° | 50K | ✓ |
| 10952 | LED10WT8/48/850-G9DR | 4' | 1,800 | 10W | 120-277V, 347V | ✓ | 5000K | 80+ | Frosted | 160° | 50K | ✓ |
| 10953 | LED13WT8/48/835-G9DR | 4' | 2,200 | 13W | 120-277V, 347V | ✓ | 3500K | 80+ | Frosted | 160° | 50K | ✓ |
| 10954 | LED13WT8/48/840-G9DR | 4' | 2,200 | 13W | 120-277V, 347V | ✓ | 4000K | 80+ | Frosted | 160° | 50K | ✓ |
| 10955 | LED13WT8/48/850-G9DR | 4' | 2,200 | 13W | 120-277V, 347V | ✓ | 5000K | 80+ | Frosted | 160° | 50K | ✓ |

NOTE: Use order code when ordering. ✓DesignLights Consortium® Qualified

BALLAST COMPATIBILITY

| 120-277V Ballasts | | Start Method | # of Lamps | 1 Lamp | | 2 Lamp | | 3 Lamp | | 4 Lamp | | Dim | Ballast Version |
|-------------------|--------------------|--------------|------------|--------|------|--------|------|--------|------|--------|------|-----|-----------------|
| Manufacturer | Part Number | | | 120V | 277V | 120V | 277V | 120V | 277V | 120V | 277V | | |
| ARCATA | ACT2P32ISUNV | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| ARCATA | ACT4P32ISUNV | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| ADVANCE | ICN-1P32-N | IS | 1 | ✓ | ✓ | - | - | - | - | - | - | - | - |
| ADVANCE | ICN-2P32-N | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | REV C-E |
| ADVANCE | ICN-3P32-N | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | REV D |
| ADVANCE | ICN-4P32-N | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | REV D |
| ADVANCE | ICN-2P32-SC | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| ADVANCE | ICN-4P32-SC | IS | 4 | - | - | - | - | ✗ | ✓ | ✗ | ✓ | - | REV D |
| ADVANCE | ICN-2S40-N | RS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| ADVANCE | IOPA-1P32-N | IS | 1 | ✓ | ✓ | - | - | - | - | - | - | - | REV B |
| ADVANCE | IOPA-2P32-N | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | REV A |
| ADVANCE | IOPA-4P32-N | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | REV C |
| ADVANCE | IOPA-1P32-LW-N | IS | 1 | ✗ | ✗ | - | - | - | - | - | - | - | REV A |
| ADVANCE | IOPA-2P32-LW-N | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | REV B |
| ADVANCE | IOPA-4P32-LW-N | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | REV A |
| ADVANCE | IOP-4PSP32-SC | PS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | REV B |
| ADVANCE | RCN-2S32-SC | PS | 2 | - | - | ✓ | - | - | - | - | - | - | REV D |
| ADVANCE | REZ-2S32-SC | PS | 2 | - | - | ✓ | - | - | - | - | - | ✓ | REV E |
| ADVANCE | REL-2P32-SC | IS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | UL 704G |
| ADVANCE | REL-4P32-RH-TP | IS | 4 | - | - | - | - | ✗ | - | ✗ | - | - | - |
| ADVANCE | RELB-2S40-N | RS | 2 | ✗ | - | ✗ | - | - | - | - | - | - | - |
| EIKO | PM 2x32T8-UNV-IS-L | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| ESPEN | VE232MVHIP | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| ESPEN | VE232MVHIPE | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| ESPEN | VE232MVHIPHE | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | - |
| ESPEN | VE232MVHIPL | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| ESPEN | VE432MVHIP | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| ESPEN | VE432MVHIPE | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| ESPEN | VE432MVHIPHE | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| FULHAM | NPY-120-232-LT8 | PS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| FULHAM | NPY-120-432-T8B | IS | 4 | - | - | - | - | ✓ | - | ✓ | - | - | - |
| FULHAM | NPY-120-432-T8-IS | IS | 4 | - | - | - | - | ✓ | - | ✓ | - | - | - |
| FULHAM | WHCG3-120-T8-IS | IS | 3 | - | - | ✓ | - | ✓ | - | - | - | - | - |
| FULHAM | WHCG5-120-T12-RS | RS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| FULHAM | WH2-120-L | IS | 1 | ✓ | - | - | - | - | - | - | - | - | - |
| FULHAM | WH5-120-L | IS | 4 | - | - | - | - | ✗ | - | ✓ | - | - | - |
| FUSION | FB232MVE | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| FUSION | FB232MVE-HE | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| FUSION | FB232MVE-LHE | IS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| FUSION | FB232MVE-PPS-HE | PS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| FUSION | FB332MVE | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| FUSION | FB432MVE | IS | 4 | - | - | - | - | ✗ | ✗ | ✗ | ✗ | - | - |
| FUSION | FB432MVE-HE | IS | 4 | - | - | - | - | ✗ | ✗ | ✗ | ✗ | - | - |
| FUSION | FB432MVE-PPS-HE | PS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| GE | GE132MAXP-N/ULTRA | IS | 1 | ✓ | ✓ | - | - | - | - | - | - | - | - |

Rev. 9/3/21

BALLAST COMPATIBILITY (Cont'd)

| 120-277V Ballasts | | | | | | | | | | | | | |
|-------------------|-----------------------|--------------|------------|--------|------|--------|------|--------|------|--------|------|-----|-----------------|
| Manufacturer | Part Number | Start Method | # of Lamps | 1 Lamp | | 2 Lamp | | 3 Lamp | | 4 Lamp | | Dim | Ballast Version |
| | | | | 120V | 277V | 120V | 277V | 120V | 277V | 120V | 277V | | |
| GE | GE 232-120RES-DIYB | IS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| GE | GE 232-120-PS-N | PS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| GE | GE232MAX-G-N | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| GE | GE232MAXP-L/ULTRA | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| GE | GE232MAXP-N/ULTRA | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| GE | GE232MAXP-H/ULTRA | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | - |
| GE | GE232-MV-N | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| GE | GE232-MVPS-L | PS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| GE | GE232-MVPS-N | PS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| GE | GE232-MVPS-H | PS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | - |
| GE | GE332MAX-L/ULTRA | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| GE | GE332MAX90-V60 | IS | 3 | - | - | ✗ | ✗ | ✓ | ✓ | - | - | ✓ | - |
| GE | GE332MV-N-DIY | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| GE | GE432MAX-G-N | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| GE | GE432MAX-H/ULTRA | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| GE | GE432MAX-H-42T | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| GREENHILL | GH2P59ISUNV | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | - |
| GREENHILL | GH4P32ISUNV | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| HALCO | EP232IS/H/MV/HE | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | - |
| HALCO | EP332IS/L/MV/HE | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| HALCO | EP332IS/MV/MC | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| HALCO | EP432IS/L/MV/HE | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| HALCO | EP432IS/MV/MC | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| HOWARD | EP3/32IS/MV/SC/HE | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| HOWARD | EP4/32IS/MV/MC/HE | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| HUAFENG | ENI-T8-32-P2SC-N | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| HUAFENG | ENI-T8-32-P4MC-N | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| KEYSTONE | KTEB-132-UV-IS-L-P | IS | 1 | ✓ | ✓ | - | - | - | - | - | - | - | - |
| KEYSTONE | KTEB-132-UV-PS-N-P | IS | 1 | ✓ | ✓ | - | - | - | - | - | - | - | A4 |
| KEYSTONE | KTEB-232-UV-IS-L-P | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| KEYSTONE | KTEB-232-UV-IS-N-P | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | D1 |
| KEYSTONE | KTEB-232-UV-IS-H-P | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | D1 |
| KEYSTONE | KTEB-232-UV-PS-VDIM | PS | 2 | - | - | ✓ | ✓ | - | - | - | - | ✓ | - |
| KEYSTONE | KTEB-232-UV-PS-H-P | PS | 2 | ✗ | ✗ | ✗ | ✗ | - | - | - | - | - | - |
| KEYSTONE | KTEB-332-UV-IS-L-P | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| KEYSTONE | KTEB-332-UV-IS-N-P | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | B |
| KEYSTONE | KTEB-332-UV-IS-H-P | IS | 3 | - | - | ✗ | ✗ | ✓ | ✓ | - | - | - | D1 |
| KEYSTONE | KTEB-332-UV-PS-L-P | PS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | D2 |
| KEYSTONE | KTEB-332-UV-PS-N-P | PS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | D2 |
| KEYSTONE | KTEB-332-UV-PS-H-P | PS | 3 | - | - | ✗ | ✗ | ✗ | ✗ | - | - | - | - |
| KEYSTONE | KTEB-432-UV-IS-L-P | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | A1 |
| KEYSTONE | KTEB-432-UV-IS-N-P | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | A1 |
| KEYSTONE | KTEB-432-UV-IS-H-P | IS | 4 | - | - | - | - | ✗ | ✗ | ✓ | ✓ | - | A3 |
| KEYSTONE | KTEB-432-UV-PS-L-P | PS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| KEYSTONE | KTEB-432-UV-PS-N-P | PS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | D2 |
| OSRAM | QHE 2x32T8/UNV DIM-TC | PS | 2 | - | - | ✓ | ✓ | - | - | - | - | ✓ | - |
| OSRAM | QHE 2x32T8/UNV ISL SC | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| OSRAM | QTP 2x32T8/UNV ISN-SC | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| OSRAM | QTP 3x32T8/UNV PSX-SC | PS | 3 | - | - | - | - | ✗ | ✗ | - | - | - | - |
| OSRAM | QHE 4x32T8/UNV ISL SC | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| OSRAM | QHE 4x32T8/UNV PSN-SC | PS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| OSRAM | QTP 4x32T8/UNV ISN-SC | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| PACIFIC | EB-332IS-U | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | - |
| PACIFIC | EB-432IS-U | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| PLUSRITE | BAF232IS/MV/H | IS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | - |
| PQL | 70201 | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |
| PQL | 70204 | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| PREMIUM | BB-T8/UVH-2x32 | IS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | - | - |

BALLAST COMPATIBILITY (Cont'd)

| 120-277V Ballasts | | | | | | | | | | | | | |
|-------------------|---------------------------|--------------|------------|--------|------|--------|------|--------|------|--------|------|-----|-----------------|
| Manufacturer | Part Number | Start Method | # of Lamps | 1 Lamp | | 2 Lamp | | 3 Lamp | | 4 Lamp | | Dim | Ballast Version |
| | | | | 120V | 277V | 120V | 277V | 120V | 277V | 120V | 277V | | |
| PREMIUM | BB-T8/UVH-3x32 | IS | 3 | - | - | - | - | ✓ | ✓ | - | - | - | - |
| ROBERTSON | RSW240T12120 | PS | 2 | ✗ | - | ✗ | - | - | - | - | - | - | - |
| STANDARD | E232PI120L | IS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| STANDARD | E232T8IS120/L/AS | IS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| STANDARD | E232T8IS120/N/AS | IS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| STANDARD | E232T8PS120-277/N/AS/BULK | PS | 2 | - | - | ✓ | ✓ | - | - | - | - | - | - |
| STANDARD | E432T8IS120/H | IS | 4 | - | - | - | - | ✗ | - | ✓ | - | - | - |
| STANDARD | E432T8IS120/L/AS/BULK | IS | 4 | - | - | - | - | ✓ | - | ✓ | - | - | - |
| STANDARD | E432T8IS120/N/AS/BULK | IS | 4 | - | - | - | - | ✓ | - | ✓ | - | - | - |
| SUNPARK | SL15T | PS | 2 | ✓ | - | ✓ | - | - | - | - | - | - | - |
| TCP | E4P32PSUNVE | PS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | - |
| UNIVERSAL | B232PUSV3PLA | PS | 2 | ✓ | ✓ | ✓ | ✓ | - | - | - | - | ✓ | REV A |
| UNIVERSAL | B232SR120S30 | PS | 2 | - | - | ✗ | - | - | - | - | - | ✓ | REV E |
| UNIVERSAL | B132IUNVHP-N | IS | 1 | ✓ | ✗ | - | - | - | - | - | - | - | REV C |
| UNIVERSAL | B232IUNVHP-N | IS | 2 | - | - | ✓ | ✓ | - | - | - | - | - | REV B |
| UNIVERSAL | B332IUNVHP-A | IS | 3 | - | - | ✓ | ✓ | ✓ | ✓ | - | - | - | REV B |
| UNIVERSAL | B432IUNVHP-A | IS | 4 | - | - | - | - | ✓ | ✓ | ✓ | ✓ | - | REV B |
| UNIVERSAL | B232PUNVHE-B | PS | 2 | ✗ | ✗ | ✓ | ✓ | - | - | - | - | - | REV B |

| 347V Ballasts | | | | | | | | | | | | | |
|---------------|------------------------|--------------|------------|--------|--|--------|--|--------|--|--------|--|-----|-----------------|
| Manufacturer | Part Number | Start Method | # of Lamps | 1 Lamp | | 2 Lamp | | 3 Lamp | | 4 Lamp | | Dim | Ballast Version |
| | | | | 347V | | 347V | | 347V | | 347V | | | |
| ARCATA | ACT2P32IS347 | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| ARCATA | ACT4P32IS347 | IS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| ADVANCE | GOPA-2P32-LW-N | IS | 2 | ✓ | | ✗ | | - | | - | | - | REV A |
| ADVANCE | GOPA-2P32-LW-SC | IS | 2 | ✓ | | ✓ | | - | | - | | - | REV D |
| ADVANCE | GOPA-4P32-LW-SC | IS | 4 | - | | - | | ✓ | | ✓ | | - | REV D |
| ADVANCE | GOPA-2P32-SC | IS | 2 | ✓ | | ✓ | | - | | - | | - | REV C |
| ADVANCE | GOPA-4P32-SC | IS | 4 | - | | - | | ✓ | | ✓ | | - | REV D |
| FUSION | FB232347E-HE | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| FUSION | FB232347E-L | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| FUSION | FB232347E-PPS-HE | PS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| FUSION | FB432347E-HE | IS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| FUSION | FB432347E-L | IS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| FUSION | FB432347E-PPS-HE | PS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| GE | GE232MAX347-H | IS | 2 | ✗ | | ✓ | | - | | - | | - | - |
| GE | GE332MAX347-H | IS | 3 | - | | ✗ | | ✓ | | - | | - | - |
| GE | GE432MAX347-H | IS | 4 | - | | - | | ✗ | | ✗ | | - | - |
| KEYSTONE | KTEB-232-3-IS-N-P | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| KEYSTONE | KTEB-432-3-IS-N-P | IS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| MAGNETEK | B232I347HP | IS | 2 | ✗ | | ✗ | | - | | - | | - | - |
| OSRAM | QHE 2x32 T8/347 ISL-SC | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| OSRAM | QHE 2x32 T8/347 ISN-SC | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| OSRAM | QHE 4x32 T8/347 ISL-SC | IS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| STANDARD | E232T8IS347/H/90C | IS | 2 | ✗ | | ✗ | | - | | - | | - | - |
| STANDARD | E232T8IS347/L/BULK | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| STANDARD | E232T8IS347/N/BULK | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| STANDARD | E432PI347G01 | IS | 4 | - | | - | | ✓ | | ✗ | | - | - |
| STANDARD | E432T8IS347/L/BULK | IS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| STANDARD | E432T8IS347/N | IS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| STANDARD | E432T8IS347/N/BULK | IS | 4 | - | | - | | ✗ | | ✗ | | - | - |
| STANDARD | E432T8IS347/H/90C | IS | 4 | - | | - | | ✗ | | ✗ | | - | - |
| ULTRASAVE | JR232347 | RS | 2 | - | | ✗ | | - | | - | | - | - |
| ULTRASAVE | MR232347 | IS | 2 | ✗ | | ✓ | | - | | - | | - | - |
| UNIVERSAL | B232I347HE-A | IS | 2 | ✓ | | ✓ | | - | | - | | - | - |
| UNIVERSAL | B432I347HE-A | IS | 4 | - | | - | | ✓ | | ✓ | | - | - |
| UNIVERSAL | B432I347RH | IS | 4 | - | | - | | ✓ | | ✓ | | - | REV H |