



Data sheet | Item number: 873-903

Luminaire disconnect connector; 3-pole; 4,00 mm²; yellow

<https://www.wago.com/873-903>



Electrical data

Ratings per IEC/EN

Ratings per	EN 60998
Nominal voltage (U _{I/2})	400 V
Rated surge voltage (U _{I/2})	4 kV
Rated current	6 A

Ratings per IEC/EN 2

Ratings per 2	EN 61984
---------------	----------

Connection data

Total number of connection points	9
Total number of potentials	3

Connection 1

Connection type 1	Plug
Connection technology	PUSH WIRE®
Actuation type	Push-in
Connectable conductor materials	Copper
Solid conductor	16 ... 12 AWG
Stranded conductor	16 ... 12 AWG
Strip length	11 ... 13 mm / 0.43 ... 0.51 inches
Pole number	3

Connection 2

Connection type 2	Socket
Solid conductor 2	18 AWG
Strip length 2	9 ... 11 mm / 0.35 ... 0.43 inches

Physical data

Width	19 mm / 0.748 inches
Height	13.2 mm / 0.52 inches
Depth	42 mm / 1.654 inches

Material data

Note (material data)	Information on material data can be found here
Color	yellow
Fire load	0.144 MJ
Weight	6.9 g

Commercial data

Product Group	8 (Misc. Chassis Mount Blocks)
eCl@ss 10.0	27-44-03-14
eCl@ss 9.0	27-44-03-14
ETIM 8.0	EC000458
ETIM 7.0	EC000458
PU (SPU)	200 (20) Stück
Packaging type	Box
Country of origin VKOrg Germany	CN
GTIN	4045454671815
Customs tariff number VKOrg Germany	85366990990

Approvals and certificates

Country specific Approvals



Approval	Standard	Certificate name
CCA DEKRA Certification B.V.	EN 61984	NTR NL-7390
CCA DEKRA Certification B.V.	EN 61984	2178521.01
CCA DEKRA Certification B.V.	EN 60998	71-114174
CCA DEKRA Certification B.V.	EN 60998	NTR NL-7391
CSA DEKRA Certification B.V.	C22.2 No. 182.3	1961671

UL-Approvals



Approval	Standard	Certificate name
UL UL International Germany GmbH	UL 2459	E313353

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 873-903



Documentation

Additional Information

Technical Section

pdf
2142.18 KB



Bid Text

873-903

21.02.2019

docx
14.87 KB



873-903

19.02.2019

xml
3.11 KB



CAD/CAE-Data

CAD data

2D/3D Models 873-903



CAE data

ZUKEN Portal 873-903

