breezEV

VEHICLE CHARGERS

LEVEL 2 EV CHARGING STATION
UP TO 48A

Our simple EV charging technology for at home or on the go. This charging station is the perfect EV charging solution for residential, multi-unit housing, commercial, retail or municipal properties where a connected networked software solution is not required.





charger and cable set sold separately

wall mount (standard)



single pedestal (option)

- 48A/11.2 kW max output, can be adjusted to 40A, 32A, or 16A.
- Sleek, compact, rugged housing, IP65 rated for indoor & outdoor use.
- Flexible mounting either on a wall, or purchase optional pedestal accessories.
- 40A & 48A cable sets are available in 12,18 & 25ft lengths.

3 YEAR* WARRANTY

200-240V AC

SINGLE PHASE

-22°F TO 122°F OPERATING TEMP

NATURAL COOLING

IP65 INGRESS PROTECTION

IK08 IMPACT RESISTANCE

11.2 kW MAX OUTPUT

ANTI UV PAINT

PART #	CHARGE AMPS	CONNECTOR TYPE	DISPLAY INTERFACE
EVC-L2-48A-L1-1-NC-N-1	48A	SAE TYPE 1	NO DISPLAY

* 5 YEAR EXTENDED WARRANTY AVAILABLE. CONTACT SALES REPRESENTATIVE FOR DETAILS
* FOR BAA INFORMATION CONTACT US

LIGHT EFFICIENT DESIGN HEADQUARTERS 188 S. Northwest Highway • Cary, IL 60013
INNOVATION & MANUFACTURING CENTER 30 Log Bridge Road, Building 200 • Middleton, MA 01949
847.380.3540 • led-llc.com

09.30.22 Information is subject to change without notice.

Light Efficient Design

VEHICLE CHARGERS

LEVEL 2 EV CHARGING STATION
UP TO 48A

ORDERING EXAMPLES



PART #	DESCRIPTION	QTY
EVC-L2-48A-L1-1-NC-N-1	48A Max Charger, No Screen, Simple Charger	1
EVC-L2-CBL-40A-L1-1-18x10	40A Cable Set, 18ft length, 10AWG	1



PART #	DESCRIPTION	QTY
EVC-L2-48A-L1-1-NC-N-1	48A Max Charger, No Screen, Simple Charger	1
EVC-L2-CBL-40A-L1-1-18x10	40A Cable Set, 18ft length, 10AWG	1
EVC-L2-ACC-LPK	Lower Pedestal Kit	1
EVC-L2-ACC-LPC	Lower Pedestal Cover (for non-managemant pedestal)	1

ACCESSORIES

CABLE SETS

PART #	DESCRIPTION
EVC-L2-CBL-40A-L1-1-12X10	40A CABLE SET, 12FT LENGTH, 10AWG
EVC-L2-CBL-40A-L1-1-18X10	40A CABLE SET, 18FT LENGTH, 10AWG
EVC-L2-CBL-40A-L1-1-25X10	40A CABLE SET, 25FT LENGTH, 10AWG
EVC-L2-CBL-48A-L1-1-12X8	48A CABLE SET, 12FT LENGTH, 8AWG
EVC-L2-CBL-48A-L1-1-18X8	48A CABLE SET, 18FT LENGTH, 8AWG
EVC-L2-CBL-48A-L1-1-25X8	48A CABLE SET, 25FT LENGTH, 8AWG

PEDESTALS

PART #	DESCRIPTION
EVC-L2-ACC-LPK	LOWER PEDESTAL KIT FOR L2 CHARGER
EVC-L2-ACC-LPC	LOWER PEDESTAL COVER (FOR NON-MANAGEMANT PEDESTAL)
EVC-L2-ACC-CM	CABLE MANAGEMENT FOR PEDESTAL

LIGHT EFFICIENT DESIGN HEADQUARTERS 188 S. Northwest Highway • Cary, IL 60013
INNOVATION & MANUFACTURING CENTER 30 Log Bridge Road, Building 200 • Middleton, MA 01949
847.380.3540 • led-llc.com

09.30.22 Information is subject to change without notice.

Light Efficient Design

VEHICLE CHARGERS

LEVEL 2 EV CHARGING STATION
UP TO 48A

ACCESSORIES/MOUNTING OPTIONS


SINGLE PEDESTAL
Ordering Part #
EVC-L2-ACC-LPK
+
EVC-L2-ACC-LPC





DOUBLE PEDESTAL

BACK TO BACK
Ordering Part #
EVC-L2-ACC-LPK
+
EVC-L2-ACC-LPC



CUSTOM BRANDING/ ADVERTISING VINYL FOR PEDESTALS. CONTACT US TO DISCUSS

DOUBLE PEDESTAL

BACK TO BACK
W/ CABLE
MANAGMENT
Ordering Part #
EVC-L2-ACC-LPK
+
EVC-L2-ACC-CM





DOUBLE PEDESTAL

SIDE BY SIDE
Ordering Part #
EVC-L2-ACC-LPK
+
EVC-L2-ACC-CM
+
EVC-L2-ACC-SSB

LIGHT EFFICIENT DESIGN HEADQUARTERS 188 S. Northwest Highway • Cary, IL 60013
INNOVATION & MANUFACTURING CENTER 30 Log Bridge Road, Building 200 • Middleton, MA 01949
847.380.3540 • led-llc.com

09.30.22 Information is subject to change without notice.

Light Efficient Design