






Luminaire EPA

Horizontal Tenon Mount – Weight: Refer to table on page 1					
Luminaire	Single	2 @ 90°	2 @ 180°	3 @ 90°	4 @ 90°
Tenon Configuration If used with Cree Lighting tenons, please add tenon EPA with luminaire EPA					
					
	PD-1H4; PT-1H	PD-2H4(90); PT-2H(90)	PD-2H4(180); PT-2H(180)	PD-3H4(90); PT-3H(90)	PD-4H4(90); PT-4H(90)
RSWS	0.61	0.89	1.22	1.50	1.78
RSWS w/RSW-BLSS, RSW-CLSS or RSW-FLSS Accessory	0.61	1.25	1.22	1.85	2.13
RSWM	0.86	1.24	1.71	2.10	2.49
RSWM w/RSW-BLSM, RSW-CLSM or RSW-FLSM Accessory	0.86	1.59	1.71	2.45	2.84
RSWL	1.00	1.55	2.00	2.55	3.10
RSWL w/RSW-BLSL Accessory	1.01	2.16	2.01	3.17	4.33
RSWX	1.17	1.93	2.33	2.90	3.85
RSWX w/RSW-BLSX Accessory	1.18	2.85	2.35	4.00	5.70

Tenon EPA

Part Number	EPA
PD Series Tenons	0.09
PT Series Tenons	0.10
WM-2L	0.13
XA-TMDA8	0.19

Tenons and Brackets* (must specify configuration)	
Square Internal Mount Horizontal Tenons (Aluminum) - Mounts to 4" (102mm) square aluminum or steel poles or tenons PD-1H4 – Single PD-2H4(90) – 90° Twin PD-2H4(180) – 180° Twin PD-3H4(90) – 90° Triple PD-4H4(90) – 90° Quad	Round External Mount Horizontal Tenons (Aluminum) - Mounts to 2.375"-3" (60-76mm) O.D. round aluminum or steel poles or tenons PT-1H – Single PT-2H(90) – 90° Twin PT-2H(180) – 180° Twin PT-3H(90) – 90° Triple PT-4H(90) – 90° Quad
Wall Mount Brackets - Mounts to 2" x 4" wood or metal studs WM-2L – 2 Light	Direct Arm Pole Adaptor Bracket - Mounts to 3-6" (76-152mm) round or square aluminum or steel poles XA-TMDA8

* Refer to [Bracket and Tenon spec sheet](#) for more details

Fixture Mounting Drill Pattern for XA-TMDA8

