

LED Vintage Lamps



Rated up to 15,000 hours at 70% lumen maintenance, SYLVANIA LED Vintage lamps offer years of service and reduce energy and maintenance costs. SYLVANIA LED lamps are environmentally preferred products. They are RoHS compliant and contain no mercury, lead or other hazardous materials. They emit no UV or IR radiation. A CRI of 80 ensures good color definition. Available in 2175K CCT, these lamps can be used in many applications.

Application Information

Applications

- Downlights
- Pendant fixtures
- Table lamps
- Wall sconces

Key Features & Benefits

- Long life: up to 15,000 hours (L₇₀)
- UV and IR free
- Mercury and lead free
- RoHS compliant
- Suitable for damp locations
- Dimmable
- Amber glass finish
- Reduces energy consumption up to 90%
- Lasts up to 15 times longer than incandescent lamps
- No warm-up time, instant-on with full light output and stable color



Product Offering

Ordering Abbreviation	Color Temperature	Typical Lumens
LED3.5A15	2175K	300
LED4.5A15	2175K	380
LED4.5A19	2175K	380
LED6.5A19	2175K	650
LED4B10	2175K	360
LED4.5G25	2175K	380
LED3.5G16.5	2175K	300
LED4.5G16.5	2175K	360
LED4.5ST19	2175K	380
LED6.5ST19	2175K	590
LED3G25	2175K	200
LED6.5G30	2175K	650
LED6.5G40	2175K	650

Application Notes

1. Operating temperature range between -20°C and +45°C (-4°F and +113°F)
2. Not for use with emergency light fixtures or exit lights
3. Suitable for damp locations
4. Suitable for totally enclosed fixtures (G25/G30/G40 excluded)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. For FCC Part 15 user information, please see www.sylvania.com/fcc15b.



Specification Data

Catalog #	Type
Project	
Comments	
Prepared by	

Ordering Information

Item Number	Ordering Abbreviation	Wattage (W)	Base Type	Replaces	Input Voltage (V)	Average Rated Life (hrs.)	CCT	Typical Lumens (lm)	CRI	Bulb Finish	ENERGY STAR®
75343	LED4.5A15/DIM/822/VIN/RP	4.5	Medium	40W Replacement	120	15,000	2175K	380	80	Amber	N/A
75345	LED3.5A15C/DIM/822/VIN/RP	3.5	Candelabra	40W Replacement	120	15,000	2175K	300	80	Amber	N/A
75347	LED4.5A19/DIM/822/VIN/RP	4.5	Medium	40W Replacement	120	15,000	2175K	380	80	Amber	N/A
75349	LED6.5A19/DIM/822/VIN/RP	6.5	Medium	60W Replacement	120	15,000	2175K	650	80	Amber	N/A
79721	LED4B10/DIM/BLUNT/822/VIN/G2/BL	4	Medium	40W Replacement	120	15,000	2175K	360	80	Amber	N/A
79722	LED4B10C/DIM/BLUNT/822/VIN/G2/BL	4	Candelabra	40W Replacement	120	15,000	2175K	360	80	Amber	N/A
79580	LED4B10/DIM/BENT/822/VIN/G2/BL	4	Medium	40W Replacement	120	15,000	2175K	360	80	Amber	N/A
79582	LED4B10C/BENT/DIM/822/VIN/G2/BL	4	Candelabra	40W Replacement	120	15,000	2175K	360	80	Amber	N/A
75351	LED4.5ST19/DIM/822/VIN/RP	4.5	Medium	40W Replacement	120	15,000	2175K	380	80	Amber	N/A
75353	LED6.5ST19/DIM/822/VIN/RP	6.5	Medium	60W Replacement	120	15,000	2175K	590	80	Amber	N/A
79586	LED4.5G25/DIM/822/VIN/G2/RP	4.5	Medium	40W Replacement	120	15,000	2175K	380	80	Amber	N/A
40066	LED3G25/DIM/822/VIN/B3	3	Medium	25W Replacement	120	15,000	2175K	200	80	Amber	N/A
71145	LED3.5G16.5CDIM822VINBL	3.5	Candelabra	40W Replacement	120	15,000	2175K	300	80	Amber	N/A
40022	LED4.5G16.5/DIM/822/VIN/BL2	4.5	Medium	40W Replacement	120	15,000	2175K	380	80	Amber	N/A
40191	LED6.5G30/DIM/822/VIN/B2/G2	6.5	Medium	60W Replacement	120	15,000	2175K	650	80	Amber	N/A
40192	LED6.5G40/DIM/822/VIN/B2/G2	6.5	Medium	60W Replacement	120	15,000	2175K	650	80	Amber	N/A

Ordering Guide

LED	6.5	A19	DIM	8	22	VIN
LED	Wattage:	Lamp Type:	Dimmable	CRI	CCT	Vintage
Lamps	6.5	A19		8 = 80+	22 = 2175K	

Lamp Dimensions

	(A) MOL inches	(B) Diameter inches
A15 E12	3.42	1.85
A15 E26	3.38	1.85
A19	4.13	2.36
B10 E26 Blunt	3.54	1.37
B10 E26 Bent	4.33	1.37
G25	4.52	3.14
G30	5.31	3.74
G40	6.69	4.92
G16.5 E12	3.22	1.96
G16.5 E26	3.07	1.97
B10 E12 Blunt	3.89	1.37
B10 E12 Bent	4.72	1.37
ST19	5.43	2.28

Energy Savings

Basic Product Description	LED Life (hrs.)	LED Lumens	Similar Incandescent	Incandescent Life (hrs.)	Watts Saved	Energy Savings*	LED Life vs. Incandescent
LED4.5A15	15,000	380	40W Incandescent	1000	35.5	\$58	15x
LED4.5A19	15,000	380	40W Incandescent	1500	35.5	\$58	10x
LED6.5A19	15,000	650	60W Incandescent	1000	53.5	\$88	15x
LED4B10	15,000	360	40W Incandescent	1500	35.5	\$58	10x
LED4.5G25	15,000	380	40W Incandescent	1500	36	\$58	10x
LED4.5ST19	15,000	380	40W Incandescent	1500	35.5	\$58	10x
LED6.5ST19	15,000	590	60W Incandescent	1000	53.5	\$88	15x
LED3G25	15,000	200	25W Incandescent	1000	22	\$36	15x
LED3.5G16.5C	15,000	300	40W Incandescent	1000	36.2	\$60	15x
LED6.5G30	15,000	650	60W Incandescent	1000	53.5	\$88	15x
LED6.5G40	15,000	650	60W Incandescent	1000	53.5	\$88	15x

*Energy savings over life of lamp calculated at \$0.11/kWh

LEDVANCE LLC
 200 Ballardvale Street
 Wilmington, MA 01887 USA
 Phone 1-800-LIGHTBULB (1-800-544-4828)
www.sylvania.com

SYLVANIA and LEDVANCE are registered trademarks.
 All other trademarks are those of their respective owners.
 Licensee of product trademark SYLVANIA in general lighting.
 Specifications subject to change without notice.

 /sylvania  /sylvania

