



Replace 40W and 60W bulbs.  
Color: White

Weight: 0.1 lbs

<b>Project:</b>	<b>Type:</b>
<b>Prepared By:</b>	<b>Date:</b>

Driver Info		LED Info	
Watts	5W	Input Voltage	120V
Color Temp	2700K (Soft White)	Power Factor	0.7
Lumens	450	Flicker	<30%
Efficacy	90 LPW	THDi	N/A
Color Accuracy	90 CRI	R9	
L70 Accuracy	15,000		

## Technical Specifications

### Listings

**ETL Qualified:**

Yes

**FCC:**

Yes

**Rohs:**

Yes

**CEC Status:**

Lawful for sale in California

**ENERGY STAR V2.0:**

This product is ENERGY STAR® Version 2.0 Certified

**Energy Star ID:**

2330363

### Technical Specifications

**Dimmable:**

Yes, down to 10%

### Description

**Lamp Type:**

Decorative Lamps

**Bulb Type:**

A19

**Base Type:**

E26, Medium Screw Base

**Material:**

Glass

### Construction

**Operating Temperature:**

-20 - 45°C

**MOL (inches):**

4.17"

**MOD (inches):**

2.36"

### LED Characteristics

**Lifespan:**

15,000-hour LED lifespan based on IES LM-70 results

**Other**

**Equivalent:**

40W Incandescent A19

**Warranty:**

3 years

### Optical

**Beam Angle:**

360°

### Shipping Information

**Case Qty:**

12

## Technical Specifications (continued)

### Shipping Information

#### Case Dimensions:

10.83 x 8.15 x 5.12


### Pallet Quantity of Pieces:

1512

### Pallet Dimensions:

38.43 x 44.02 x 37.2

## Dimensions



## Features

- DECORATIVE BULB REPLACEMENT - Replaces conventional decorative lamps
- ENERGY SAVINGS - Save up to 85% on energy
- 90 CRI - Produces rich and vibrant colors
- 15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day
- DAMP RATED - Suitable for damp locations
- ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures
- CLEAR GLASS - Simulate the appearance of conventional lamps
- 360° LIGHT OUTPUT - Well suited for decorative lighting applications
- DIMMABLE - Compatible with most common dimmer models

## Ordering Matrix

Family	Lamp Power	Base Type	CRI/Color Temp	Type	Finish
A19	5	E26	927	F	C
	5 = 60W 9 = 60W	E26 = E26	927 = 2700K 950 = 5000K	F = Filament	C = Clear